

## **Indoor Netball Facility Requirements**

Performance Area	International	National
Length	30.5m	30.5m
Width	15.25m	15.25m
Clear space		
At ends	3.05m run-off	3.05m run-off
At sides	3.05m run-off	3.05m run-off
For officials and teams	Separate bench area clear of spectators. To be at the sides of the court at least 3.05m from court edge	Separate bench area clear of spectators. To be at the sides of the court at least 3.05m from court edge
Minimum clear ceiling height	8.3m	8.3m
Overall competition area	2 courts plus warm-up areas	2 courts plus warm-up areas
Number of competition areas	Minimum 2 courts	Minimum 2 courts
Lighting level (LUX)	1500 (TV)	1500 (TV)
Seating capacity	3000 - 10000	1500 - 5000
Surface colours		
• Floors	Natural light timber	Natural light timber
• Walls	Darker colour	Darker colour
Ceiling	Light colour	Light colour
Line markings	White	White
Perimeter boards/courtside signage	600 cm x 2.4 metres Constructed from styrene foam or similar material with no hard frame support	600 cm x 2.4 metres Constructed from styrene foam or similar material with no hard frame support
Commercial/promotional messages	The venue must be free from commercial or promotional messages, advertising, displays or facilities of any kind except for those recording the name of the stadium and those installed, erected or otherwise authorised by NE.	The venue must be free from commercial or promotional messages, advertising, displays or facilities of any kind except for those recording the name of the stadium and those installed, erected or otherwise authorised by NE.


## **Goal Post Specifications and Dimensions**

Length	3.05 m (10 feet)	3.05 m (10 feet)
Diameter	65 mm (100 mm)	65 mm (100 mm)
Goal Post Padding	50 mm (2 inches) thick	50 mm (2 inches) thick
Nets and Rings	White	White
Sleeve	25 cm (10 inches)	25 cm (10 inches)

Updated: 2016



## **Netball Court Specifications and Dimensions**



3.05 m run-off on all sides

Updated: 2016